

# Gasoline Pump Inspections

Gasoline stations that had a least one pump "fail" an inspection for the period between Jan. 1, 2009 through May 12, 2011

Computerized Utah state records do not show the cause of each failure. Inspectors say most are for giving either too much or too little gasoline. Inspectors also say giving too much gasoline occurs about as often as giving too little.

## Alpine

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
The Junction Shell	400 S Main St	32	13	3	4.3	40.6%

## American Fork

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Holiday	309 W Main	84	28	3	9.3	33.3%
AF Junction Texaco	109 E Main St	90	14	4	3.5	15.6%
Walkers Chevron	290 W Main	22	1	3	0.3	4.5%

## Blanding

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Shirt Tail Junction	550 W 3600 S	24	2	1	2.0	8.3%
Diamond C Store	89 E Ctr St	38	3	2	1.5	7.9%

## Bluebell

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Bluebell Store	1200 W 4000 N	2	2	1	2.0	100.0%

## Bountiful

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Maverik	105 S 200 W	29	4	2	2.0	13.8%
Maverik	1500 S Main	20	1	2	0.5	5.0%

## Brigham City

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Common Cents	986 S Main St	42	21	3	7.0	50.0%
Hardy Enterprise Tesoro	249 N Main St	39	19	5	3.8	48.7%
Sinclair	1398 S Hwy 89	36	6	2	3.0	16.7%

## Bullfrog

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Bullfrog Sinclair	Hwy 276	21	2	2	1.0	9.5%
Bullfrog Marina Fuel Dock		32	2	2	1.0	6.3%

## Cedar City

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Loves Travel Stop	2645 N Canyon Ranch Dr	98	2	7	0.3	2.0%
KB Express	1944 N Main St	50	1	4	0.3	2.0%

## Cedar Fort

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Cedar Valley Country Store	149 S 200 E	22	2	2	1.0	9.1%

## Centerville

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Chevron	382 N Frontage Rd	38	4	2	2.0	10.5%

## Circleville

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Cricleville Station	211 W Main	13	3	2	1.5	23.1%

## Coalville

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Bells Grocery & Gas Sinclair	118 S 50 W	36	9	2	4.5	25.0%
Holladay Hills Phillips 66	100 S 500 W	16	2	1	2.0	12.5%

## Corinne

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Wal-Mart	5400 W SR 83	4	1	2	0.5	25.0%

## Draper

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Holiday Oil Chevron	255 E Traverse Ridge	252	210	6	35.0	83.3%
Draper Chevron	267 W 12300 S	104	60	5	12.0	57.7%
Holiday Oil	293 E 12300 S	129	72	4	18.0	55.8%

7-Eleven	12292 S. Lone Peak Pky	112	56	2	28.0	50.0%
Common Cents	87 E. 12300 S	120	23	3	7.7	19.2%
Harmons Bangerter Crossing	125 E 13800 S	52	8	5	1.6	15.4%
7-Eleven	12300 S. 692 E	50	2	3	0.7	4.0%
Extra Mart Chevron	1302 E 12300 S	86	2	3	0.7	2.3%

## Duchesne

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Bonanza Sinclair	94 E Main St	15	2	2	1.0	13.3%

## Dutch John

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Questar Pipeline Co	Clay Basin	1	1	1	1.0	100.0%

## Eagle Mountain

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Holiday Oil Chevron	3676 Pony Express Pkwy	172	111	4	27.8	64.5%
Maverik	9217 N Ranches Pkwy	162	59	5	11.8	36.4%

## East Millcreek

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Tesoro	3301 S 2300 E	48	24	2	12.0	50.0%

## Elsinore

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Silver Eagle	250 S Hwy 89	114	24	7	3.4	21.1%

## Eureka

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Conoco	515 E Main St	36	3	3	1.0	8.3%
Carpenter Station Sinclair	202 W Main St	41	2	5	0.4	4.9%

## Fairview

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Combos Tesoro	36 W Canyon Rd	43	5	3	1.7	11.6%

## Farr West

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
CFN Sinclair	890 N 2000 W	28	14	2	7.0	50.0%
7-Eleven	1829 W 2700 N	73	36	3	12.0	49.3%

## Ferron

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Gilly's Sinclair	15 N State St	44	8	3	2.7	18.2%

## Fruitland

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Strawberry Marina	Strawberry Reservoir	4	2	2	1.0	50.0%

## Garden City

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
KOA Sinclair	Hwy 89 Bear Lk Rd	24	9	2	4.5	37.5%
Ciscos Landing	PO Box 253	3	1	2	0.5	33.3%
Cheron	604 W Logan Rd	16	1	1	1.0	6.3%

## Garland

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Harris Market Phillips 66	86 S Main St	28	5	2	2.5	17.9%

## Goshen

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Double Bs Gas & Goodies	150 W Main St	4	1	2	0.5	25.0%

## Green River

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Short Stop Phillips 66	1224 E Main	68	14	2	7.0	20.6%
Shady Acres Silver Eagle	550 E Main St	50	4	2	2.0	8.0%
Green River Chevron	990 W Main St	17	1	2	0.5	5.9%
West Winds Truck Stop Sinclair	1025 E Main	50	1	7	0.1	2.0%

## Gunnison

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
GIC Conoco	112 N Main St	26	1	2	0.5	3.8%

## Hanksville

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Hollow Mountain	60 N Hwy 95	34	6	2	3.0	17.6%

## Heber

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Maverik	435 N Main St	132	44	3	14.7	33.3%
Smiths	554 N Main St	92	28	4	7.0	30.4%
Silver Eagle K&TS	1590 S Hwy 40	56	4	3	1.3	7.1%
Mtn Land One Stop Sinclair	1175 S Main St	101	5	4	1.3	5.0%
Walkers Phillips 66	800 S Main St	70	1	2	0.5	1.4%

## Herriman

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Smiths	5560 W 13400 S	100	50	5	10.0	50.0%
Holiday Oil Chevron	5625 W 13128 S	135	66	5	13.2	48.9%
Holiday Texaco	3978 W Inovation Dr	34	5	3	1.7	14.7%

## Holladay

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Tesoro	4770 S Highland Dr	6	3	2	1.5	50.0%
Associated Fresh Market	4530 S Highland Dr	41	3	3	1.0	7.3%

## Hyrum

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Mannings Sinclair	325 W Main St	26	12	2	6.0	46.2%

## Joseph

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
TNT Trailriders	165 W Main	6	3	2	1.5	50.0%

## Koosharem

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Grass Valley Mercantile	RR	4	1	2	0.5	25.0%

## Lakepoint

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
GSL Travel Center Tesoro	8836 N Hwy 40	107	101	3	33.7	94.4%

## Laketown

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Sinclair	20 N Bear Lk Blvd	32	8	3	2.7	25.0%

## Lapoint

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Lapoint Country Store	10980 E 7000 N	13	1	1	1.0	7.7%

## Layton

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Common Cents	855 N Main St	7	2	2	1.0	28.6%
Tesoro	1365 N Hwy 89	28	5	3	1.7	17.9%

## Lehi

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Smiths	1550 E 3500 N	70	50	2	25.0	71.4%
Holiday Texaco	62 S Interstate Plaza	85	57	4	14.3	67.1%
Costco	196 N 1200 E	77	34	4	8.5	44.2%
Maverik	520 W Main St	87	12	3	4.0	13.8%
Walkers Phillips 66	47 S 850 E	26	1	4	0.3	3.8%
All About Fuel & Food Conoco	1750 W Main	114	3	4	0.8	2.6%

## Lindon

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Walkers Phillips 66	25 S State St	78	26	3	8.7	33.3%
Walker Chevron	795 N State	172	56	4	14.0	32.6%

## Loa

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Texaco	241 N Main St	21	4	3	1.3	19.0%

## Logan

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Sams Club	145 W Cache Valley Blvd	24	12	1	12.0	50.0%
LW Truck Stop	1020 W 200 N	72	35	2	17.5	48.6%
KJ Super Store Phillips	620 W 200 N	54	25	2	12.5	46.3%
New Logan Market Sinclair	720 E 1000 N	54	12	3	4.0	22.2%
Nyla's Chevron	904 S Main	52	7	2	3.5	13.5%

## Manila

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Lucerne Valley Marina	PO Box 10	8	8	2	4.0	100.0%

## Manti

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Thompson Oil Sinclair	101 N Main St	19	1	4	0.3	5.3%

## Mapleton

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Texaco	790 N 1600 W	96	34	5	6.8	35.4%

## Mayfield

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Twelve Mile Market	100 N Main	20	4	5	0.8	20.0%

## Midvale

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Handy Mart	335 W 7200 S	34	3	1	3.0	8.8%

## Midway

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Daniels Summit General Store	17000 S Hwy 40	4	3	1	3.0	75.0%

## Moab

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Maverik	435 N Main St	196	48	4	12.0	24.5%
Maverik	985 S Main	88	4	2	2.0	4.5%

## Monticello

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Woodys Food Stores	32 E Ctr St	6	3	1	3.0	50.0%

## Moroni

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Sanpete Valley Conoco	416 E Main St	32	4	6	0.7	12.5%

## Naples

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Maverik	2504 S 1500 E	132	88	3	29.3	66.7%

## Nephi

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Nephi Foodmart Sunmart	2087 S Main	86	58	3	19.3	67.4%
Pilot Travel Center	1597 S Main St	171	98	4	24.5	57.3%
Sunmart	2050 S Main St	317	132	6	22.0	41.6%
Fast Gas Tesoro	1188 E 100 N	98	30	4	7.5	30.6%
Chillys Chevron	815 E 100 N	40	1	2	0.5	2.5%

## North Salt Lake

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Maverik	800 W Ctr St	54	48	1	48.0	88.9%
Hardy Enterprises Sinclair	3427 S Orch Dr	38	1	2	0.5	2.6%

## Ogden

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Kicks Phillips 66	2983 Washington Blvd	6	6	2	3.0	100.0%
Joes Service Conoco	3707 S Quincy	10	5	3	1.7	50.0%
Smiths	4275 S Harrison Blvd	28	12	1	12.0	42.9%
County Hills Chevron	4210 Harrison Blvd	44	13	2	6.5	29.5%
Costco	3656 Wall Ave	4	1	2	0.5	25.0%
SNS Quick Stop Sinclair	110 Patterson St	14	2	2	1.0	14.3%
Top Stop Chevron	1210 W 12th St	68	2	2	1.0	2.9%
Top Stop Chevron	2110 Wall Ave	100	2	3	0.7	2.0%

## Orem

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Gas-N-Go Conoco	50 S 1200 W	128	33	4	8.3	25.8%
Sunmart Texaco	1588 N State St	42	6	2	3.0	14.3%
Fast Gas Tesoro	1091 N State St	82	5	2	2.5	6.1%
Mikes Chevron	1308 W University	85	5	3	1.7	5.9%
Common Cents	1395 W 1600 N	213	9	5	1.8	4.2%
Smiths	45 S State St	63	2	4	0.5	3.2%
7-Eleven	1196 W Center St.	49	1	3	0.3	2.0%
Packards Gas Sinclair	705 W 1200 S	50	1	2	0.5	2.0%
Maverik	85 W 800 N	158	3	4	0.8	1.9%
Sunmart Chevron	1613 N State St	61	1	3	0.3	1.6%



## Parowan

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Arco Travel Center	1100 N 130 W	32	1	2	0.5	3.1%

## Payson

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Walkers Phillips 66	1522 W 800 S	84	14	3	4.7	16.7%
Storrs Texaco	1270 W 788 S	68	11	2	5.5	16.2%
Flying J	840 N Main St	137	22	6	3.7	16.1%
Chevron Food Mart	710 N Main St	68	4	5	0.8	5.9%
Chevron	1250 W 800 S	53	1	3	0.3	1.9%

## Perry

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Maverik	2241 Hwy 89	92	45	3	15.0	48.9%

## Pleasant Grove

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
BJ Shortstop Conoco	130 W Ctr St	42	14	3	4.7	33.3%
Maverik	341 E State St	54	6	3	2.0	11.1%
Walkers Phillips 66	715 S Main	76	8	3	2.7	10.5%
Smiths	210 E 700 S	74	3	3	1.0	4.1%
Maceys	931 W State St	74	1	4	0.3	1.4%

## Plymouth

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Tri Mart Chevron	PO Box 10	34	12	2	6.0	35.3%

## Provo

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Gas-N-Go Conoco	430 W 1230 N	28	28	1	28.0	100.0%
Slate Canyon Sinclair	1431 S State St	104	52	4	13.0	50.0%
7-Eleven	222 W 300 S	26	13	4	3.3	50.0%
Smiths	398 N 200 W	74	36	3	12.0	48.6%
Bell's Chevron	1870 N State St	72	24	3	8.0	33.3%
Maverik	325 S State St	100	28	4	7.0	28.0%
East Bay Chevron	1218 S University Ave	104	28	4	7.0	26.9%
J&J Oil Operations	55 E 680 S	5	1	3	0.3	20.0%
Wills Pit Stop Chevron	36 W 3700 N	104	17	4	4.3	16.3%
Chevron	1601 W Ctr St	56	8	3	2.7	14.3%

Sams Club	1313 S University Ave	18	2	2	1.0	11.1%
Minuteman Tesoro	1796 N 950 W	31	3	3	1.0	9.7%
Crest Oil Sinclair	930 S University Ave	87	7	4	1.8	8.0%
Crest Oil Sinclair	910 W Ctr St	62	4	3	1.3	6.5%
Walkers Phillips 66	980 W Ctr St	51	3	3	1.0	5.9%

## Randolph

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
J Bar Auto	90 N Main St	4	1	1	1.0	25.0%

## Richfield

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Pilot Travel Center	1600 N Main St	126	62	5	12.4	49.2%
Jardine Petroleum	1095 S Hwy 89	23	1	5	0.2	4.3%

## Riverdale

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Light House Holding	4104 Riverdale Rd	120	68	3	22.7	56.7%

## Riverton

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Holiday Oil	1327 W 12600 S	172	87	7	12.4	50.6%
Maverik	2707 W 12600 S	119	24	3	8.0	20.2%

## Roy

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
7-Eleven	5600 S 2050 W	12	2	1	2.0	16.7%
Roy Sinclair	5608 S 1900 W	26	2	3	0.7	7.7%

## Salem

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Fast Gas Conoco	84 E Hwy 91	83	6	5	1.2	7.2%
Chevron	390 N State	84	4	3	1.3	4.8%

## Salina

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Hollys Pantry	110 S State St	72	2	4	0.5	2.8%

## Salt Lake City

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Wayne's Gas N Grovery Sinclair	1302 S State St	24	6	1	6.0	25.0%
Sapp Brothers Sinclair	1953 W California Ave	45	4	1	4.0	8.9%
Tesoro	2280 S Highland Dr	36	3	6	0.5	8.3%
Extra Mart Chevron	2110 S 1300 E	48	3	2	1.5	6.3%
Maverik	425 S Redwood Rd	88	1	2	0.5	1.1%
Tesoro	2112 E 2100 S	52	26	2	13.0	50.0%
Shell	1699 W N Temple St	54	21	4	5.3	38.9%
Tesoro	874 E 1300 S	24	1	1	1.0	4.2%

## Sandy

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Pro Stop	10986 S State St	130	51	3	17.0	39.2%
Smiths	2039 E 9400 S	8	3	3	1.0	37.5%
Tesoro	8595 S 1300 E	36	13	2	6.5	36.1%
Sinclair	9387 S 1300 E	85	26	4	6.5	30.6%
Chevron	9401 S. 700 E	37	6	3	2.0	16.2%
Extramart Sunmart Chevron	1295 E 10600 S	38	3	2	1.5	7.9%

## Santaquin

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Maverik	725 E Main St	138	106	6	17.7	76.8%
Kars Chevron	1431 Summit Ridge Pkwy	184	5	4	1.3	2.7%

## Saratoga Springs

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Smiths	1320 N Redwood Rd	70	26	3	8.7	37.1%
Top Stop Chevron	36 W 1400 N	118	37	4	9.3	31.4%

## Soldier Summit

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Summit Statoin Tesoro	20 E Hwy 6	40	12	3	4.0	30.0%

## South Jordan

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Smiths	1634 W S Jordan Pky	67	34	3	11.3	50.7%

7-Eleven	11366 S Redwood Rd	119	45	5	9.0	37.8%
----------	--------------------	-----	----	---	-----	-------

## South Ogden

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Associated Fresh Market	5691 S. Harrison Blvd	72	20	3	6.7	27.8%

## South Salt Lake

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Harris Food & Fuel Sinclair	16 W 3300 S	52	1	2	0.5	1.9%

## Spanish Fork

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Peterson Oil Chevron	1805 N Chappel Dr	38	38	1	38.0	100.0%
Cedar Haven Sinclair	13205 E Hwy 6	34	17	3	5.7	50.0%
Dan's Dash-In	890 N Main	105	29	5	5.8	27.6%
Tesoro	835 N Main St	72	8	4	2.0	11.1%
Ganesh Market Chevron	3601 E Powerhouse Rd	31	2	3	0.7	6.5%
Utah County Fuel	3015 N 400 W	17	1	3	0.3	5.9%
Oil Spout Wash & Lube In Sinclair	720 N Main St	80	4	2	2.0	5.0%

## Springville

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Jakes Brookside Conoco	410 S 400 E	66	20	3	6.7	30.3%
Maverik	1509 N 1750 W	274	81	6	13.5	29.6%
Stors Travel Center Chevron	2009 W 400 S	84	16	6	2.7	19.0%
Sunmart Chevron	1456 N Main St	113	9	8	1.1	8.0%
Walkers Phillips 66	1730 W 400 S	111	5	5	1.0	4.5%
Sunroc Corp	395 S Main	64	1	4	0.3	1.6%

## Sunset

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Smiths	2350 N Main	34	3	1	3.0	8.8%

## Taylorville

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
M&M Service	4804 S Redwood Rd	25	1	1	1.0	4.0%

## Thompson

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Out West Food & Fuel	Hwy I-70 Exit	54	3	3	1.0	5.6%

## Torrey

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Hidden Falls Market Sinclair	875 N St Rd 24	9	2	1	2.0	22.2%

## Tremonton

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Archibald Phillips 66	979 W Main St	31	31	1	31.0	100.0%
RJS Fuel Stop Sinclair	2267 W Main Street	127	82	3	27.3	64.6%
Maverik	1035 W Main St	62	18	2	9.0	29.0%

## Vernal

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Split Mountain Travel Plaza	4743 S 4625 E	151	102	4	25.5	67.5%
Top Stop Chevron	722 W Main St	25	1	2	0.5	4.0%

## Wellington

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Gas-N-Go Conoco	Hwy 6	54	1	5	0.2	1.9%
Walkers Chevron	2195 E Main St	120	2	5	0.4	1.7%

## West Jordan

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Xpress Mart Sinclair	2729 W 9000 S	52	3	1	3.0	5.8%

## West Valley City

Name	Address	Total pump inspections	Failed	Number of visits by inspectors	Average failures per visit	Pct of pump inspections that failed
Shell	4018 W 4100 S	32	5	2	2.5	15.6%